



System Requirements

Product: TAB FusionRMS, All Editions

Release Date: June 25, 2019

Release Version 10.1.1876



Contents

- 1. Version History 1**
- 2. Prerequisites..... 2**
 - Frameworks2
 - Databases2
 - Black and White label printing2
 - Microsoft® Internet Information Services (IIS)2
 - Devices3
 - SMTP server.....3
- 3. Operating Systems 4**
 - TAB FusionRMS Desktop Operating System4
 - TAB FusionRMS Operating System5
- 4. Database Servers 6**
- 5. Microsoft Software 7**
- 6. Web Browsers..... 8**
- 7. Windows Hardware 9**
- 8. Device Hardware 11**
- 9. Kofax VRS compatible scanners 13**

SYSTEM REQUIREMENTS



1. Version History

Version control is maintained to provide a history of the changes to this document. The version numbering matches the corresponding software release version. The most current release is listed first with earlier releases following in descending order.

Releases of TAB FusionRMS software use the following software versioning convention:

[Version # = Major #. Minor #. Build #]. For example, 10.1.1820.

This document applies to all editions of TAB FusionRMS product.

Version Date

10.1.1876	June 25, 2019
10.1.1829	April 20, 2018

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved
TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

2. Prerequisites

Installation of TAB FusionRMS and some of its capabilities require prerequisite product support.

Frameworks

Microsoft® .NET Framework 4.6.2 is required on IIS web servers hosting the Web Access client application. Depending on the operating system, it might need to be installed separately.

Microsoft® .NET Framework 3.5.1 must be installed on the desktop computers running TAB FusionRMS Desktop or TAB FusionRMS Web Access attachment viewer. Depending on the operating system, it might need to be installed separately.

Databases

A supported version and edition of Microsoft® SQL Server should be installed, configured, and available for use before installing TAB FusionRMS. Microsoft® SQL Server software and licensing is **NOT INCLUDED** and must be purchased separately.

Black and White label printing

Win2PDF printer software and licensing is **NOT INCLUDED** and must be purchased separately.

Microsoft® Internet Information Services (IIS)

Microsoft IIS should be configured and running before TAB FusionRMS Web Access is installed. The following features will need to be turned on under IIS. Any feature not listed can be turned on or off

Web Management Tools

- IIS Management Console
- IIS Management Scripts and Tools
- IIS Management Services

World Wide Web Services

- Application Development Features
 - .NET Extensibility
 - ASP.Net
- Common HTTP Features
 - Default Document
 - HTTP Errors
- Security
 - Basic Authentication
 - Windows Authentication

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved
TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

Devices

The Windows Mobile Device Center must be installed and enabled in order to use the Datalogic Memor X3 or Datalogic Elf mobile bar code collection devices with TAB FusionRMS.

SMTP server

In order to use the email notification feature, there must be an SMTP (Simple Mail Transport Protocol) server available to handle the actual mail requests for the organization. For example, Microsoft Exchange Server provides SMTP facilities for sending email messages, as do Sendmail, Postfix, QMail and other products. The SMTP server may be located inside an organization's network or outside the network, but each computer running TAB FusionRMS must be able to make a TCP/IP connection to the SMTP server in order to send an email message.

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

3. Operating Systems

TAB FusionRMS is available in both Desktop and Web Access client applications. They are supported by Windows® client and server operating systems.

TAB FusionRMS Desktop is a 32-bit application that will run on 64-bit Windows using WOW64 technology. WOW64 (Windows 32-bit on Windows 64-bit), is an emulation layer that enables 32-bit Windows based applications to run seamlessly on 64-bit Windows.

TAB FusionRMS Web Access is a browser-based application that is installed on an IIS web server. Users access the system with their web browser.

TAB FusionRMS can operate in standalone, network, or virtual environments. Virtualization is supported when applicable system requirements are met for the guest operating system.

TAB FusionRMS Desktop Operating System

Operating System	Architecture	.Net
Windows 10	x86-32	.NET Framework 4.6.2
Windows 7	x86-64 (WoW)	.NET Framework 3.5

Note TAB recommends that the latest Windows Service Packs and critical updates be installed to ensure best compatibility and security.

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

TAB FusionRMS Operating System

Operating System	Architecture	.Net
Windows Server 2016	x86-64 (WoW64)	.NET Framework 4.6.2
Windows Server 2012 and 2012 R2	x86-64 (WoW64)	.NET Framework 4.6.2

Note TAB recommends that the latest Windows Service Packs and critical updates be installed to ensure best compatibility and security.

SYSTEM REQUIREMENTS

4. Database Servers

TAB FusionRMS uses Microsoft® SQL Server as its relational database management system; check the listed versions, editions, prerequisites, and product minimums listed in this section to ensure compatibility.

Note The Express editions of SQL Server require the installation of Advanced Services to support full-text search capability.

Supported Software	Edition
Microsoft® SQL Server 2017	All Editions
Microsoft® SQL Server 2016	All Editions
Microsoft® SQL Server 2014	All Editions

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

5. Microsoft Software

TAB FusionRMS integrates with specific software applications to provide some of its capabilities.

Supported Software	Version
Microsoft® Office Excel, Word, and Outlook.	2016, 2013
Microsoft® SharePoint	2013, 2016, Office 365

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

6. Web Browsers

TAB FusionRMS Web Access client application is installed on a web server; users will access the system using their web browser.

Browser	Version	OS
Microsoft® Internet Explorer (IE)	11 or greater	Windows 10, 7
Google® Chrome	50 and greater	Windows 10, 7
Microsoft® Edge	40 and greater	Windows 10, 7
Apple® Safari	10	macOS Sierra 10.12

Note The full featured ActiveX technology attachment viewer is only supported in Internet Explorer .

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved
 TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

7. Windows Hardware

TAB FusionRMS requires that certain hardware specifications be met; check the listed hardware types, deployment units, and requirements in this section to ensure compatibility.

Note These recommended requirements do not include any additional requirements for other software running on your system.

Hardware	Deployment Unit	Requirement
Hard disk space	Server	<p>Application installation:</p> <ul style="list-style-type: none"> 1 GB minimum free hard disk space. <p>Attachment storage:</p> <ul style="list-style-type: none"> 100 GB or greater recommended. <p>Server storage for document imaging. Server storage space can become an issue when implementing document imaging; planning requires consideration of the following factors:</p> <ul style="list-style-type: none"> The average image size is approximately 30KB - 45KB per 8.5" x 11" document at 200 DPI. The number of documents to be scanned as a part of a back file conversion. The number of new documents scanned per work day. The length of time images remain in the imaging system.
	Desktop	<p>Application installation:</p> <ul style="list-style-type: none"> 1 GB minimum free hard disk space.
Memory	Server	<p>System memory:</p> <ul style="list-style-type: none"> 8 GB or greater recommended.
	Desktop	<p>System memory</p> <ul style="list-style-type: none"> 4 GB or greater recommended. <p>Graphics memory</p> <ul style="list-style-type: none"> 128 MB minimum
Processor	Server	<p>Speed:</p> <ul style="list-style-type: none"> 3 GHz or faster recommended
	Desktop	<p>Speed:</p> <ul style="list-style-type: none"> 2 GHz or faster recommended

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

Hardware	Deployment Unit	Requirement
Storage device	Mass storage	Storage of mass scanned images: <ul style="list-style-type: none"><li data-bbox="797 317 1377 436">• Network Attached Storage devices, such as a SAN (Storage Area Network), should be considered to meet scanned image storage needs in excess of 1000 GB.

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

8. Device Hardware

TAB FusionRMS supports the use of certain types of peripheral devices for bar-code scanning, data collection, printing, and document scanning; check the devices, specifications, and product minimums in this section to ensure compatibility.

Device	Description	Specifications
Black and white thermal label printers	Small workstation printer used to print black and white bar-code labels.	Required: <ul style="list-style-type: none"> • Microsoft Windows supported postscript driver that is rated for label media and printing volume required • USB port
Color inkjet printers	Primarily used to print color-coded file folder labels, which can also include bar-codes.	Required: <ul style="list-style-type: none"> • Microsoft Windows supported postscript driver that is rated for label media and printing volume required • USB port Recommended: <ul style="list-style-type: none"> • Separate ink cartridges (black, cyan, magenta, and yellow) • Provides custom or user definable sheet size
Color laser printers	Primarily used to print color-coded file folder labels, which can also include bar-codes.	Required: <ul style="list-style-type: none"> • A Microsoft Windows supported postscript driver that is rated for label media and printing volume required. • USB port Recommended: <ul style="list-style-type: none"> • Toner based cartridges • Paper-type setting for labels, transparency, or heavy card stock
Datalogic Elf	A mobile collection device used to scan bar codes remotely and then upload the data when connected to a workstation at a later time.	Required: <ul style="list-style-type: none"> • Microsoft Mobile Device Center • USB port
Datalogic Memor X3	A mobile collection device used to scan bar codes remotely and then upload the data when connected to a workstation at a later time.	Required: <ul style="list-style-type: none"> • Microsoft Mobile Device Center • USB port

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

Device	Description	Specifications
Document scanner	A workstation, workgroup, or production document scanner used to convert physical documents to electronic format and capturing them for records management.	Required: <ul style="list-style-type: none"> • USB port • Kofax compatible scanner Recommended: <ul style="list-style-type: none"> • Kofax VRS Elite for basic image clean up and rescanning • Kofax VRS Professional for bar-code recognition and image controls • Kofax Capture for batch scanning, OCR, and Zonal OCR.
Honeywell Hyperion 1300g	Direct connect barcode scanner.	Required: <ul style="list-style-type: none"> • USB port
Inateck BCST-10	Bluetooth cordless and direct connect barcode scanner.	Required: <ul style="list-style-type: none"> • USB port • Bluetooth 2.1
Socket 7Ci	Bluetooth cordless barcode scanner	Required: <ul style="list-style-type: none"> • Bluetooth 2.1
T-L462 SignatureGem LCD 1x5	Topaz Electronic Signature Pad (USB, LCD screen)	Required: <ul style="list-style-type: none"> • USB port
T-LBK462 SignatureGem LCD 1x5	Topaz Electronic Signature Pad (USB, LCD screen, backlit).	Required: <ul style="list-style-type: none"> • USB port
T-S460-BT SigLite 1x5	Topaz Electronic Signature Pad (Bluetooth).	Required: <ul style="list-style-type: none"> • Bluetooth 1.1
T-LBK460-BT SigLite LCD 1x5	Topaz Electronic Signature Pad (Bluetooth, LCD screen, backlit).	Required: <ul style="list-style-type: none"> • Bluetooth 1.1

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050

9. Kofax VRS compatible scanners

TAB FusionRMS integrates **Kofax® VRS 5.0 and 5.1** and a document scanner with VRS compatibility to support bar code recognition when scanning documents.

The complete listing, including the version of VRS supported by each, is available on the Kofax Scanner Configurator Main Page: <http://scadmin.kofax.com/KCSearch/>

Note Fujitsu document scanners are currently not recommended; device driver updates now being released by the manufacturer do not support Kofax® VRS.

Note TAB FusionRMS software and Kofax® capture products are supported under specific terms and conditions, which are addressed in annual maintenance agreements between TAB Products Co. LLC and contract holders. Contact your sales representative for more details about your maintenance agreement.

SYSTEM REQUIREMENTS

© 2019 TAB. All Rights Reserved

TAB Corporate Headquarters, 605 Fourth Street, Mayville, WI 53050